15

	Application No.	Applicant(s)
Notice of Allowability	10/068,914	SNEED, BRETT A.
	Examiner	Art Unit
	Donald Loney	1772
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comr IGHTS. This application is	in this application. If not included nunication will be mailed in due course. THIS
1. This communication is responsive to the Board decision dated 12/21/05.		
2. The allowed claim(s) is/are <u>1-6 and 14-20</u> .		
 3. ☐ Acknowledgment is made of a claim for foreign priority unalled a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have) or (f).
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ⊠ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🛮 hereto or 2) 🗌 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
		·
		·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 🗆 Notice of	nformal Patent Application (PTO 152)
 Notice of References Cited (PTO-692) Motice of Draftperson's Patent Drawing Review (PTO-948) 		nformal Patent Application (PTO-152) Summary (PTO-413),
_	Paper No	./Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. ⊠ Examiner	s Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗌 Examiner	s Statement of Reasons for Allowance
	9. 🗌 Other	<u> </u>
	•	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Young on January 4, 2005.

The application has been amended as follows: Claims 7-13 and 21 have been cancelled.

In paragraph [0001], line 1, the phrase "priority of" has been changed to -- benefit of -- in order to correct the cross-reference to related applications as indicated should be done by the applicant on page 1 of the transmittal letter dated April 4, 2002.

In response to the remand by the Board for obviousness considerations as indicated on page 6 of the decision, it is the examiners' opinion that there is no obviousness issue since all the prior art shows flaps at least on opposing edges of the unit and the Board indicated that the applicants claims excluded any reference which has flaps on any other edge then the first edge (i.e. only one flap on one edge) and there is no motivation within the prior art to exclude flaps that are already taught as being there.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Donald Loney whose telephone number is (571) 272-

Art Unit: 1772

1493. The examiner can normally be reached on Mon, Tues, Thurs and Fri. 8AM-4PM, flex schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Donald Loney Primary Examiner Art Unit 1772

DJL:D.Loney 01/05/06